

Tennessee Department of Environment and Conservation, Division of Water Pollution Control 401 Church Street, 6th Floor L & C Annex, Nashville, TN 37243

(615) 532-0625

CONCENTRATED ANIMAL FEEDING OPERATION (CAFO) STATE OPERATING PERMIT (SOP) **NOTICE OF INTENT (NOI)**

Type of permit you are request Application type:	☐ New Permit If this NOI is submi	designed to dischar	rge) SOPC0000 \$\frac{1}{2}\$Permit Reisication or Reissuance pro		Peri	cnown, please advise mit Modification number:
Operation Identification Operation Name:		nicks			County: Y	Marion
220	ple A CI O RA GI	eiffith 1	HWY	The state of the s		35-07'23.9"
Operation Location/ Physical Address:	itwell TN	37397	J			55 1 23.7" 55° 30′ 51"µ
Name and distance to nearest					Longrado	35 50° 5/ L
If any other State or Federal V	-	s have been obtaine	ed for this site, list thos	e permit numbe	ers:	
Animal Type: 💆 Po	ultry Swine	☐ Dairy	☐ Beef ☐	Other	•	
Number of Animals: 590	Number	of Barns: 2	Name o	of Integrator:	Marim	Pride
Type of Animal Waste Manag (check all that apply)	□L	iquid	em (i.e. covered tank, ı		9	
Attach the NMP NMP	Attached Attach the c	losure plan	losure Plan Attached	Attach a topo	ographic map	☐ Map Attached
PERMITTEE IDENTIFICATI	ON					
Official Contact (applicant): Chris Layn		Title or Pos				
Mailing Address: Cotfit	H HWY 3739	City:	wner litwell	State:	zip: 37397	☐ Correspondence☐ Invoice
423-942 4034	/423-413-82	Aフ E-mail:				
Optional Contact:	/	Title or Pos	sition:			
Address:		City:		State:	Zip:	☐ Correspondence
						☐ Invoice
Phone number(s):		E-mail:				
APPLICATION CERTIFICATION	N AND SIGNATURE (must	be signed in accord	lance with the requirer	nents of Rule 12	200-4-505)	
I certify under penalty of in accordance with a system submitted. Based on my for gathering the information complete. I am aware the fine and imprisonment for	stem designed to ass inquiry of the personation, the information at there are signification	sure that qualified n or persons when submitted is, ant penalties for	ed personnel proposition of manage the system to the best of my leading to the best of	erly gather a em, or those knowledge ar	nd evaluate persons dir nd belief, tr	e the information ectly responsible ue, accurate, and
Name and title; print or type	<u> </u>		Signature		Da	ate / /
Chris Layne	0 W r	rer	May	Ty		4/12/2011
STATE USE ONLY Rectived Data V		T		<i>2</i>	1	
« Kecesve OLIATE V []	Reviewer	EFO	T&E	Aquatic Fauna	Trac	cking No.
JUN 0 1 2011	Impaired Receiving Stream		High Quality Water		KHA	Citate V K
			1		MΑ	Y 2.7 205

Addendum to Nutrient Management Plan:

By my signature below, I affirm that I have read, understand, and will comply with the following stipulations from Tennessee's CAFO rule (1200-4-5-.14) that apply to my CAFO operation.

- 1) All clean water (including rainfall) is diverted, as appropriate, from the production area.
- 2) All animals in confinement are prevented from coming in direct contact with waters of the state.
- 3) All chemicals and other contaminants handled on-site are not disposed of in any manure, litter, process wastewater, or storm water storage or treatment system unless specifically designed to treat such chemicals and other contaminants.
- 4) All sampling of soil and manure/litter is conducted according to protocols developed by UT Extension.
- 5) All records outlined in 1200-4-5-.14(16)d-f will be maintained and available on-site.
- 6) Any confinement buildings, waste/wastewater handling or treatment systems, lagoons, holding ponds, and any other agricultural waste containment/treatment structures constructed after April 13, 2006 are or will be located in accordance with NRCS Conservation Practice Standard 313.
- 7) Drystacks of manure or stockpiles of litter are always kept covered under roof or tarps.
- 8) An Annual Report will be written for my operation and submitted between January 1 and February 15 of each year. It will include all information required by rule [1200-4-5-.14(16)g].

Signature of CAFO Operator:

4/12/2011

Date:

RECEIVED

Closure Plan

In the event that broiler production at this location ceases, the following will be done within 360 days:

- Any litter/compost currently in storage at the time of closure will be removed and spread on the farm or spread elsewhere according to my Nutrient Management Plan.
- All litter in houses will be removed and spread on the farm or spread elsewhere according to my Nutrient Management Plan.
- All land application of litter will be done at application rates calculated in the Nutrient Management Plan.
- The most current litter analysis will be provided to anyone removing litter from the farm.

Any dead birds in the houses at the time of closure will be composted.

Date: 4/10 /2011

JUN 0 1 2011
TN DIVE OF ADDRESS POSITIONS

APPENDIX B

Agreement for the Removal of Litter, Manure and/or Process Wastewater from an AFO

Tŀ	ne conditions listed be	low help to pro	stect water quality. These conditions apply to litter, manure and/or process
			is agreement is for (amount of waste removed, i.e. tons, gallons, etc.)
	55 TOWS		e, removed on (date) Feb 16 2011, from the facility owned by
		OI Wast	c, removed on (date) FED 16 AS(), noth the facility owned by
	200	hris he	and located at
_	8240 KA (orith, th	1 Hory TW 37397.
Α.	The litter, manure as manure and/or proce	nd/or process wess wastewater:	vastewater must be managed to ensure there is no discharge of litter, to surface or groundwater.
В.	When removed from field or stockpiled a	n the facility, lit nd covered with	tter, manure and/or process wastewater should be applied directly to the a plastic or stored in a building.
C.	Litter, manure and/o	r process waste	ewater must not be stockpiled near streams, sinkholes, wetlands or wells.
		•	or process wastewater should be soil tested at least every two or three
E.	A litter, manure and various crops.	or process was	tewater nutrient analysis should be used to determine application rates for
F.	Calibrate spreading	equipment and	apply litter, manure and/or process wastewater uniformly.
•	•		orus than can be used by the crop.
	A buffer zone is reco	ommended betv	veen the application sites and adjacent streams, lakes, ponds, sinkholes
	A buffer zone is reco and wells. The follow 590, should be used Object, Site	wing non-applic when applicabl Buffer	veen the application sites and adjacent streams, lakes, ponds, sinkholes cation buffer widths, taken from NRCS Conservation Practice Standard e: Situation
	and wells. The follows 590, should be used	wing non-applic when applicabl Buffer Width, feet	eation buffer widths, taken from NRCS Conservation Practice Standard e: Situation
	object, Site	wing non-applic when applicabl Buffer Width, feet 150	cation buffer widths, taken from NRCS Conservation Practice Standard e: Situation Up-slope of application site
	object, Site	wing non-applic when applicabl Buffer Width, feet	cation buffer widths, taken from NRCS Conservation Practice Standard e: Situation Up-slope of application site Down-slope of application site, if conditions warrant application
	object, Site Wells	wing non-applicabl Buffer Width, feet 150 300	cation buffer widths, taken from NRCS Conservation Practice Standard e: Situation Up-slope of application site
	object, Site Wells Waterbody	wing non-applicable Buffer Width, feet 150 300 30-100	cation buffer widths, taken from NRCS Conservation Practice Standard e: Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope
H.	object, Site Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 annure and/or performation for performation in the second i	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on ssion or rapid runoff.
H.	object, Site Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 annure and/or performation for performation in the second i	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on
H. 1. J.	object, Site Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject Cover vehicles hauli	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 nanure and/or pto flooding, ero	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on ssion or rapid runoff.
H. J. K.	Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject Cover vehicles hauli Keep records of loca	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 nanure and/or p to flooding, ero ng litter, manure tions where por (name)	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on sion or rapid runoff. The and/or process wastewater on public roads. Sultry litter will be used as a fertilizer. am the person receiving litter, manure, and/or
H. J. K.	Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject Cover vehicles hauli Keep records of loca	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 nanure and/or p to flooding, ero ng litter, manure tions where por (name)	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on sion or rapid runoff. The and/or process wastewater on public roads. Sultry litter will be used as a fertilizer.
H. J. K.	Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject Cover vehicles hauli Keep records of loca cess wastewater and of	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 manure and/or propositions where positions where positions where positions are proposed in the control of the control	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on sion or rapid runoff. The and/or process wastewater on public roads. Sultry litter will be used as a fertilizer. The analysis of the person receiving litter, manure, and/or the conditions listed above.
H. J. K.	Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject Cover vehicles hauli Keep records of loca cess wastewater and of	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 nanure and/or p to flooding, ero ng litter, manure tions where por (name)	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on sion or rapid runoff. The and/or process wastewater on public roads. Sultry litter will be used as a fertilizer. am the person receiving litter, manure, and/or
I. J. K. I, _ proc	Object, Site Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, resteep slopes subject. Cover vehicles hauli Keep records of local cess wastewater and of sign	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 manure and/or periodic perio	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on sion or rapid runoff. The and/or process wastewater on public roads. Full process wastewater on public roads. Full process wastewater on public roads. The person receiving litter, manure, and/or the conditions listed above.
I. J. K. I, _	Object, Site Wells Waterbody Public Use Area Residences Do not apply litter, r steep slopes subject Cover vehicles hauli Keep records of loca cess wastewater and of	wing non-applicable Buffer Width, feet 150 300 30-100 300 300 manure and/or periodic perio	Situation Up-slope of application site Down-slope of application site, if conditions warrant application Depending on the amount and quality of vegetation and slope All Other than producer process wastewater when the ground is frozen, flooded, saturated or on sion or rapid runoff. The and/or process wastewater on public roads. Sultry litter will be used as a fertilizer. The analysis of the person receiving litter, manure, and/or the conditions listed above.

B-1

JUN 0 1 2011

in 5 caso: Of Ware Peligier Coerre RECEIVED

MAY 27 2011


Conservation Plan Map

Customer(s): CHRISTOPHER A LAYNE

Field Office: JASPER SERVICE CENTER

Agency: NRCS

Assisted By: Dewitt L Simerly



RECEIVED

Legend

Consplan

Buffer_Output.shp

Buffer_Output2.shp

IN Division Of Water Polition Control

JUN 0 1 2011




MAY 2 7 2011

Customer(s): CHRISTOPHER A LAYNE

Field Office: JASPER SERVICE CENTER

Agency: NRCS

Assisted By: Dewitt L Simerly





Legend

JUN 0 1 2011

Lat. 35 deg. 7' 23.9 " N Long. 85 deg. 30' 51" W

Conspian IN Division Of Water Buffer_Output.shp Pollutine Control

Buffer_Output2.shp







N ient Management Plan - Po :ry

For Use by Farms

Exporting 100% of Litter Generated

1. Farmer/ Producer Info	rmation				
Is ALL Litter Hauled Offsite*			Yes	No	<u> </u>
*If the answer is "No," do not con	nplete this form.		Please circle	e one	
First Name:	Christopher				
Last Name:	Layne				
Farm/ Operation Name:	Triple "A" Far	m			
Tennessee County:	Marion			and American	
2. Volumes and Calculati	ons				
Poultry Type:		Broiler	Pullet	Lavor	
rountly type.		Brolley	circle the type(s)	Layer	
X					
Number of birds per house		The amount of	litter removed fron	n a poultry house will	
A per grow-out:	29500	vary depending	on the litter moist	ure content, type and	
		size of birds, an	d length of time bi	rds are kept in house.	
		Below is a Table	e summarized from	the NRCS Poultry	
		System Calcula	tor V10.0 to assist	in placing the litter	
Number of Houses:	2	amount produc	ed per bird and as:	sist in litter calculations	5.
				Avg. Weight of Litte	r
0404 1984 1984			Market/ Mature	Produced (lbs)/ Bird	/
50 S 50 S 50 S		Type of Bird	Weight (lbs)	Grow-Out	-
			small (3.8 - 5.8)	(2.1)	\dashv
					\dashv
Number of Grow-Outs / Year	. 6	Broilers	large (5.9 - 7+)	2.4	
Mumber of Glow-Outs / Year		Layer	8 - 12	8.4	\dashv
Average Weight of Litter	11.2	Layer	0-14	<u> </u>	\dashv
Produced (lbs.)/ Bird / Grow-				e	
Out (see Table at right or use					
your farm average if known)	2.1	Pullet	5.5	3	
Take Bolded Letters in	Kev Column Abo	ove and Below to	Assist in Calculatii	ng Values Below	
Number of Birds per Grow-O		59000	7		
Number of Birds Example: If A = 1			≟	REC	EII
22,000 X 2 = 44,000 number of bit					
	uj.			JUN () 1 2
:Y Number of Birds per Year = A	v.D. v.C.		25/000	Y & 1 75	- 1 M
			354000	TN Division Pollution	
Number of Birds per Year Exampl	e: If A = 22,000 c	and B= 2 and C=	: 5.5 then:	Ondito	., 00
22,000 x 2 x 5.5 =242,000 number	r of birds per yea	Γ.			
marine i marine and i the are marine in a set	man Vannamil	a Famos — Ev D	/ 2 000 -	371.7	
Total Tons of Litter Produced	-			3/1./	
Tons of Litter Produced Example:	-		en:		
242,000 x 2.1 lbs = 508,200 lbs. /		5	77 2 ~	1	
Tons of Litter Exported from I	-arm / Year		371.7		1127
				\$ %	4 3.1

Nutrient Management Plan - Poultry

For Use by Farms Exporting 100% of Litter Generated

3. Litter Handling and Storage

Litter Contents from Manure Analysis

Laboratory						
Name	House	Date of Analysis	Total N	$P_2O_5^a$	K ₂ O ^b	Units
Agr. Dicenos	ic Lab	3/29/2011	63.0	637	69.0	lbs./Ton
						lbs./Ton
						lbs./Ton

I will get an annual manure analysis and provide the results to all parties which are given or purchase litter from my farm or operation.

Signature / Date Signed

4/21/2011

Mortality Management

4.000

Dead birds will be disposed of according to State and local laws in a way that does not adversely affect groundwater or create public health concern. All mortalities will be disposed of using:

Composting	Incineration	Other: Free	705	ı (1
	please circle one			ir	nitials

Closure Plan

RECEIVE

In the event that poultry production at this location ceases, the following will be done within 360 days:

JUN 0 1 2011

- Any litter/ compost currently in storage at the time of closure will be removed and spread elsewhere according to my current NMP.
- All litter in houses will be removed and spread elsewhere according to my current NMP.
- The most current manure analysis performed by an accredited laboratory will be provided to anyone removing litter on my farm.

Any dead birds in the houses at the time of closure will be disposed of according to my MMP.

Signature that I have read and agree to this Closure Plan

M Charastan Of Water Postubility Control

Notes:

N = Nitrogen

 P_2O_5 = Phosphorus Oxide

 $K_2O = Potassium Oxide$

^aIf Phosphorus is expressed in analyses as Phosphorus (P), simply multiple P lbs. X 2.3 to convert to P_2O_5 .

^bIf Potassium is expressed in analyses as Potassium (K), simply multiple K lbs. X 1.2 to convert to K_2O .

RECE

Nutrient Management Plan - Poultry

For Use by Farms Exporting 100% of Litter Generated

- Bir Ar Brit 1827 (A. C. Ar Graffert C. Grant Collage Wester Strategy and the construction of the collage of the collage and collage and the	and the state of t
Use this sheet to help ensure that you have included all required iter	
for your CAFO application and Nutrient Management Plan to be app	proved.
Forms	
 V / • Signed revised Notice of Intent Form 	
• Signed Addendum to Nutrient Management Plan	
Maps	
Map of Farm/ Operation Showing the Location of Barr	ns/ Houses.
Compost Bins, Litter Storage Bins, Nearby Roads, Stre	
 Topographical map of the Farm/ Operation showing p 	property lines
and location of poultry houses.	
Calculations and Volumes	
• Number of Birds per House	
• Total Number of Birds per Year	
• Number of Houses	RECEIVED
Number of Grow-Outs Each Year	a man to home to the total
• Average Weight of Birds	JUN 0 1 2011
Tons of Litter Produced Per Year	YAL FALLER OF THE ABOVE
	IN Division Of Water Pollution Control
/ Manure Analysis / Mortality Disposal	
• Annual Manure Analysis Performed by an Accredited	Laboratory
Statement Regarding Dead Animal Disposal / Mortalit	ty Management*
*If rendering is method listed, make sure to include th	
address of the renderer in the notes area at the botto	

Notes: Rial Parks Transcription	
Notes: Birds Placed in Freezer Picked	my 134 tilgrims G
·	
	29 A. S. S.
	RECEI

AGRICULTURAL DIAGNOSTIC LABORATORY UNIVERSITY OF ARKANSAS - FAYETTEVILLE

***MANURE FOR FERTILIZER ANALYSIS (report for AGRI-429)

Name:	CHRIS LAYNE			Received in lab:	3/29/2011	
Address:	8240 GRIFFIT	H HWY		Mailed:	4/05/2011	
City:	WHITWELL			State,Zip:	TN 37397	
County:	MARION (TN)			CK#:	NO # ON CHECK	<
Lab. No.	M10528					
Sample No.	NONE GIVEN	1				
Animal type	none given	Brakers				
-age/lbs	none given	-				
Bedding type	none given	Shavings				-
Manure type	none given					
Sample date	none given					
Age of manure	none given					
pН	8.7					
EC(umhos/cm)	14430	•				
% H20	25.08					
		-on dry	basis-			
Total %N	4.20					
Total %P	1.86					-
Total %K	3.80			·		
Total %Ca	3.44					
Total %Carbon						
NO3-N, mg/kg						
NH4-N, mg/kg						
		-on as-is	s basis-			
Total %N	3.15					
Total %P	1.39					
Total %K	2.85					
Total %Ca	2.58					
Total %Carbon						
NO3-N, mg/kg						
NH4-N, mg/kg						
		-lbs/ton	on as-is basis-			
N	63.0					
P2O5	63.7					
K20	69.0					
Ca	51.6					
Total Carbon						
NO3-N						
NH4-N						
***all analyses no	reformand an Ilaa i					···

^{***}all analyses performed on "as-is" basis/ "dry" basis is calculated from moisture content

RECEIVED

JUN 0 1 2011

RECEIVED

^{*}lbs/ton P2O5 = %Total P on "as-is" basis multiplied by 20*2.29

^{*}lbs/ton K2O = %Total K on "as-is" basis multiplied by 20*1.2

Chris Layne

Poultry System
Dewitt Simerly
May 4, 2011

(This sheet generates nutrient values and volumes for poultry litter)

Poultry Type	Broiler (2.1 avg. weight)
Number of Birds	58,000
Method of Dead Bird Disposal	Rendering
Mortality Rate	3.0 %
Flocks per Year	6.0 flocks per year
Pounds of Litter Produced/yr	730,800 lbs/yr
Volume of Litter Produced/yr	24,360 cu.ft./yr
Tons of Litter Produced/yr	365 tons/year
Tons of Litter sold or given away	
Tons of Litter Needed for Compostin	
a. Dead Birds Produced	
b. Litter Needed	
Tons of Compost to Spread	
Tons of Litter/Compost to Spread	365 tons/year
Method of Storage & Cleanout	Broiler (cake)
Nutrients Produced	23,020 lbs of N per yr
	23,276 lbs of P2O5 per yr
	25,213 lbs of K2O per yr
Nutrient Value of Litter/Compost	63 lbs of N per ton
	64 lbs of P2O5 per ton
	69 lbs of K2O per ton

(Version 10.0, July 2004)

RECEIVED

JUN 0 1 2011

IN Division Of Water Pollution Control



MAY 27 2011



TENNESSEE DEPARTMENT OF AGRICULTURE Water Resources Program

May 27, 2011

Ms. Erin O'Brien TDEC L&C Annex, 6th Floor Nashville, Tennessee 37243

Dear Ms. O'Brien:

I am writing to inform you that I have reviewed the application and Comprehensive Nutrient Management Plan (CNMP) for CAFO permit for Mr. Chris Layne, Triple "A" Chicks, in Whitwell, Tennessee.

This letter is to confirm that the TDA has reviewed and approved the NMP. I have enclosed a copy of the Nutrient Management Plan Requirements form and the original signed and dated Notice of Intent (NOI) form, Addendum to Nutrient Management Plan, Closure Plan, NMP, and stamped Approval Stamp form for your review and final approval.

Sincerely,

Angela L. Warden CAFO Specialist

age a want

RECEIVED

JUN 0 1 2011

TN Division Of Water Pollution Control

: //enclosures

ec:// Mr. Dewitt Simerly, NRCS District Conservationist, Marion County, TN




TENNESSEE DEPARTMENT OF AGRICULTURE

Water Resources Program

The following individual has submitted all required elements of an NMP/CNMP as required to obtain a CAFO permit. Their Nutrient Management Plan (or CNMP) has been reviewed and approved by this office.

Name of Owner/Operator: Chris Lance Operation Name: Triple A Chicks	
Address of Operation: 8240 RA Goff	if in they. Wintuck, TN 37397
Phone Number: <u>(423) 942 - 4036</u> (423) 413 - 8327	
Date application was initiated:	Date approval forwarded to TDEC:
RECEIVED MAY 27 2011	MAY 27 2011
NMP/CNMP Approval Date: THE APPROVAL SHALL NOT BE CONSTRUED AS CREATING A PRESUMPTION OF CORRECT	Date approval received by TDEC
THE APPROVAL SHALL NOT BE	PECEIVED JUN 0 1 2011
THE APPROVAL SHALL NOT BE CONSTRUED AS CREATING A PRESUMPTION OF CORRECT	RECEIVED
THE APPROVAL SHALL NOT BE CONSTRUED AS CREATING A PRESUMPTION OF CORRECT MAY 27 2011 OPERATION OR AS WARRANTING THAT THE APPROVED FACILITIES	RECEIVED JUN 0 1 2011 TN Division Of Water Pollution Control

The following 9 items need to be submitted at the time the permit is applied for. Additional record-keeping items as outlined in the CAFO rules are also considered part of the nutrient management plan and must be kept on-site. More information on each item can be found in the



Addendum to Nutrient Management Plan.

JUN 0 1 2011